

SKU: KV600 EAN Number: 5030282126742

KEY VAULTS

Designed to meet the requirements of insurance companies in the control, tracking and security of keys associated with risk to valuables or property, our range of **Key Vaults** offer twice as much security and strength provided by standard key cabinets.

KEY VAULT 600

- Heavy duty key cabinet designed to meet the growing need for added security
- 2.5mm fabricated steel cabinet with flush closing door to resist forced entry
- Locking by security deadlock with 5-pin Euro profile cylinder
 & 2 keys
- Adjustable colour coded and numbered hook bars allow the layout to be customised
- Ingenious key tabs are designed to hang so that the number is always visible
- Includes 7 security seals and loops to secure keys that require clear evidence of tampering or removal
- Key locations can be recorded on the control index which is removable for added security
- Use your own cylinder to incorporate the cabinet into an existing suited system
- Cylinder can be easily changed in seconds to ensure total security
- Durable Light Grey paint finish will suit most environments







ADDITIONAL INFORMATION

| Weight | 43.000 kg |
|-----------------|---|
| Dimensions | 550 (H) x 730 (W) x 205 (D) mm |
| Standard | Silver |
| Locking Options | A – REVO B/BR, B – 3/4 Wheel Mechanical Combination, C – REVO A, E – Mechanical Push Button Lock, G – Wittkopp Primor 2000, I – La Gard 39E, K – La Gard 66E, L – Kaba Axxessor USB |
| Capacity | 600 keys |



KEY VAULT FOR 600 KEYS IMAGES



Key Vault Interior



Security Seals & Loops



Euro Profile Cylinder



Key Vault 600 Push Button Combination Lock



KEY VAULT FOR 600 KEYS IMAGES







Key Vault 600 Electronic Lock REVO A

KEY VAULT FOR 600 KEYS



Your Securikey Stockist

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.











Generated 26/04/2016

