# EURO GRADE 1025N FREESTANDING SAFE WITH KEY LOCK





#### SECURITY SAFES & CABINETS

Built to the highest manufacturing standards, our Security Safes are designed to protect a wealth of valuable items within a range of environments.

#### 1025N

- £10,000 overnight cash cover (£100,000 valuables)\*\*
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 1
- 3-way square locking boltwork, with continuous hinge side protection
- $\circ\,$  Door opens to 205 degrees for maximum access
- Lightweight construction Ideal for upper floor installation
- Fitted with VdS class 1 double bitted safe lock and 2 keys
- Internal door pan is locked to prevent tampering
- Supplied with adjustable (50mm intervals) / removable shelf
- Twin fixing positions Bolts supplied









## ADDITIONAL INFORMATION

| Weight              | 75.000 kg   |
|---------------------|---|
| Dimensions          | 410 (H) x 415 (W) x 345 (D) mm  |
| Certificate         | Independently Tested and Certified  |
| Cash Rating         | £10,000   |
| Fire Rating Minutes | 30minutes   |
| Fire Rating Degrees | 750°C   |
| Volume              | 27 litres   |
| Shelves             | 1   |
| Internal Height     | 343mm   |
| Internal Width      | 355mm   |
| Internal Depth      | 225mm   |
| Locking Options     | A – REVO B/BR, B – 3/4 Wheel Mechanical Combination, C – REVO A, G – Wittkopp<br>Primor 2000, I – La Gard 39E, K – La Gard 66E, L – Kaba Axxessor USB |





## EURO GRADE 1025N FREESTANDING SAFE WITH KEY LOCK IMAGES





AiS Approved

Euro Grade 1025



Euro Grade Square Boltwork



www.securikey.co.uk



Your Securikey Stockist

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.



Generated 21/09/2016



# www.securikey.co.uk