

# EURO GRADE 2175N FREESTANDING SAFE WITH KEY LOCK

**SECURIKEY**<sup>®</sup>  
The key to security

SKU: SFEG2175NK EAN Number: 3830059450337

## SECURITY SAFES & CABINETS

Built to the highest manufacturing standards, our Security Safes are designed to protect a wealth of valuable items within a range of environments.

### 2175N

- £17,500 overnight cash cover (£175,000 valuables)\*\*
- Independently tested and certified by VdS test house
- Certified according to EN 1143-1 Security Grade 2
- Door opens to 205 degrees for maximum access
- 3-way locking bolt work for added security
- Fitted with VdS class 1 double bitted safe lock and 2 keys
- Internal door pan is locked to prevent tampering
- Supplied with adjustable (50mm intervals) / removable shelf



£17.5k



## ADDITIONAL INFORMATION

|                            |  |
|----------------------------|--|
| <b>Weight</b>              | 344.000 kg   |
| <b>Dimensions</b>          | 960 (H) x 610 (W) x 530 (D) mm   |
| <b>Certificate</b>         | Independently Tested and Certified   |
| <b>Cash Rating</b>         | £17,500  |
| <b>Fire Rating Minutes</b> | 30minutes  |
| <b>Fire Rating Degrees</b> | 750° C   |
| <b>Volume</b>              | 176 litres   |
| <b>Shelves</b>             | 1  |
| <b>Internal Height</b>     | 864mm  |
| <b>Internal Width</b>      | 530mm  |
| <b>Internal Depth</b>      | 385mm  |
| <b>Locking Options</b>     | A – REVO B/BR, B – 3/4 Wheel Mechanical Combination, C – REVO A, G – Wittkopp Primor 2000, I – La Gard 39E, K – La Gard 66E, L – Kaba Axxessor USB |

EURO GRADE 2175N FREESTANDING SAFE WITH KEY LOCK IMAGES



AiS Approved



Secured By Design



Euro Grade 2175



Euro Grade 2175

EURO GRADE 2175N FREESTANDING SAFE WITH KEY LOCK IMAGES



Euro Grade Square Boltwork

EURO GRADE 2175N FREESTANDING  
SAFE WITH KEY LOCK

**SECURIKEY**<sup>®</sup>  
The key to security

Your Securikey Stockist

Every effort has been made to ensure that the information in this brochure is correct. We have a policy of continually developing and improving our products and reserve the right to change specification without notice. By virtue of the Trades Description Act 1968 all measurements and weights must be considered approximate.



Generated 21/09/2016